



Happy Llamadays Stockings

by Andi Metz

FABRIC	STRIP STOCKING	APPLIQUE STOCKINGS
A 14424 Holiday Plaid-White 3/4 yd	Cut (2) 2" strips	Cut (2) 12 x 22" pieces Trace (1) Candy Cane Trace (1) ornament center
B 14429 Holiday Candy Canes-White 1/8yd	Cut (2) 2" strips	
C 14426 Holiday Lights-Navy 3/4 yd	Cut (2) 2" strips	Cut (2) 13 x 22" pieces
D 14428 Little Llamas-Dark Green 3/4 yd	Cut (2) 2" strips	Cut (2) 12 x 22" pieces
E 14431 Snowy Days-Aqua 1/4yd	Cut (2) 2" strips	Cut (3) 2 x 6" pieces
F 14431 Snowy Days-Red 3/4 yd	Cut (2) 2" strips	Cut (2) 12 x 22" pieces Trace (1) Ornament
G 14434 Tossed Holiday Llamas-Lt Blue 3/4 yd	Cut (2) 2" strips	Cut (2) 13 x 22" pieces

Heat 'N Bond Lite - 1/4" yard (using a 17" bolt)

Helpful Hints:

****For Stocking 1 & Stocking 3 Applique:**

You will lightly sketch 1/2" outside the stocking template onto the 12 x 22" front. The fabric may distort a little after sewing on your applique so this extra 1/2" allows for that. Cutting out your template after applique will help create a more accurate cut for stocking front by allowing for any puckering or distortion of fabric.

****Creating each stocking has individual instructions, however, all stockings are assembled in the same manner.**

Right Side of fabric	Wrong Side of fabric	.25" seam allowance unless otherwise noted
-------------------------	-------------------------	---

Instructions

APPLIQUE - Prepare applique pieces using your preferred method or trace template on the paper side of Heat 'n Bond Lite. Following Heat 'n Bond instructions, fuse pieces to the wrong side of corresponding applique fabric. Following the line, cut out the applique shape.

Follow the Heat n Bond instructions to fuse applique pieces to base fabric.

It is helpful to use a stabilizer with your base fabric when sewing applique to the fabric. Terial Magic can be used or a medium weight tear away stabilizer. Follow instructions for Terial Magic to prepare base fabric or if using a tear away, place on wrong side of base fabric before sewing on the applique.

Because there can be some distortion from sewing the applique, you will trim your final piece to exact size when instructed.

Stocking hanger


1. Fold (1) small E piece in half with right sides together so it measures 1" x 6". Sew down the long side. Turn right side out and press. Repeat for the other small E pieces.

Stocking 1

1. With template and fabric aligned at the top, using a fabric pencil lightly sketch 1/2" outside the stocking template onto right side of (1) C fabric. Peel paper backing from A applique. Place A applique onto (1) C. It should be at least 7" down from top and centered within stocking, because you will be turning over the top edge to finish stocking. Iron to fuse applique to stocking fabric. Using a satin or zig zag stitch, sew around the applique onto C.

2. Place stocking template onto (1) C again, trace and cut out stocking front. Place stocking template onto (1) A piece, trace and cut out inside stocking.

3. Flip stocking template over and trace template on the other C and the other A pieces so both your outside stocking and inside stocking pieces will match when right sides together.



4. Cut out all stockings. Press under .25" on all of the stocking tops.

5. Place A pieces right sides together. Fold E, the stocking hanger loop, in half. Place looped end inside the A layers starting 2" down from the foldmark.

6. Place C pieces right sides together. Place A pieces on top of C pieces


so you have four layers, making sure folds are aligned at top.

7. Pin all layers together and sew around perimeter of stocking, leaving the top open. ***Do not sew around the top of the stocking.** Clip Curves.

8. Pull entire stocking right side out between the C layers.

9. Pin top of stockings edges together with the folded edge tucked in. Topstitch around the top edge of stocking.

10. Fold top edge over so inside becomes the brim of stocking and tab sticks out.



Stocking 2:

1. Cut (2) 2” strips of each fabric.

2. Strip sew (1) of each 2” strip of G, B, C, E, A, F and D together to create a strip set of all (7) fabrics, ironing each strip as you sew onto the set. Repeat for a second strip set.

3. Place stocking template over strip set and cut out. Flip template over and place on the other strip set and cut out stocking to create the outside stocking pieces. *Make sure the G strip is along the long straight edge of template.

4. Place stocking template over (1) D, trace and cut out. Flip template over and place on the other D, trace and cut out inside stocking pieces. Press under .25” on all of the stocking tops.

5. Follow Step 5-10 from previous instructions using stocking #2 fabrics to complete stocking. * Place E, stocking hanger loop, between D pieces.

Extra decoration

1. From excess strip sets, cut (3) 3” strips. Sew together on short ends to make one long strip. Fold strip in half lengthwise. Sew one short end and the length of the strip, leaving one end open for turning. Using a bobbin, turn strip, tuck in seam allowance and sew closed. Tie into a bow and hand sew onto Stocking #2 just below stocking hanger.

Stocking 3

1. With template and fabric aligned at the top, using a fabric pencil lightly sketch 1/2” outside the stocking template onto right side of (1)G. Peel paper backing from F ornament applique and onto (1) G. It should be at least 7” down from top and centered within stocking. Fuse the ornament center A in the center of F. Using a satin or zig zag stitch, sew around the applique onto G. Sew or Embroider a 1” line to represent a “hook” at the top of the applique.

2. Place stocking template onto (1) G again, trace and cut out stocking front. Place stocking template onto (1) F piece, trace and cut out inside stocking.

3. Flip stocking template over and trace template on the other F and the

other G pieces so your both your outside stocking and inside stocking pieces will match when right sides together.

4. Cut out all stockings. Press under .25" on all of the stocking tops.

5. Follow steps 5-10 from previous instructions stocking #3 fabrics to complete stocking ~ * Place E, stocking hanger loop, between F pieces.

Fold Over Fabric in step #4

Top of stocking holder should be 2" down from fold


A


Line up the printed templates matching the “+” signs and tape pattern together. Cut out paper stocking template.


You will need (2) pieces of inside and (2)outside fabric **per stocking.**

When instructed, cut (1) of inside fabric and (1) of outside fabric, then **flip template and cut (1) of inside fabric and (1) of outside fabric.


Applique should be a least 6" from top







Applique Templates



Ornament

